

ANGIOSPERMAE DICOTYLEDONAE DILLENIDAE I

Brassicaceae

to

Epacridaceae part 1 (*Acrotriche* to *Epacris*)

DICOTYLEDONAE DILLENIDAE

* The Dicot (Dilleniidae) herbarium of the Baudin expedition contains 258 specimens.

* Cited collectors are Guichenot (7 reports), Leschenault (6 reports) and Riedlé (10 reports).

* Origin of each specimen is mentioned. These places are : Port Jackson (73 reports), Timor (39 reports), d'Entrecasteaux Channel (23 reports), King George Sound (22 reports), east coast (20 reports), west coast (15 reports), Blue Mountains (7 reports), Hawkesbury (7 reports), New Holland (5 reports), Barren Islands (5 reports), King Island (5 reports), St Francis Island (5 reports), south coast (5 reports), Bass Strait (4 reports), Swan River (4 reports), unknown locality (4 reports), Geographe Bay (3 reports), Maria Island (3 reports), north coast (3 reports), Kangaroo Island (2 reports), Depuch Island (1 report), Franklin Island (1 report), Parramatta (1 report), Van Diemen's land (1 report).

Each plant specimen has been photographed. Accompanying labels are numbered chronologically (label 1 being the oldest). Information provided for each specimen consists of : the plant name (i.e. most recent name according to labels), the geographical origin, the name of the collector (when possible), additional relevant information (under the heading 'Nota'), the specimens's reference number (barcode) assigned by the Paris Museum of Natural History (MNHN collection).

The collected specimens belong to 17 distinct families that were grouped into three digital herbaria (H12 to H14). Families are presented in alphabetical order.

-H12 herbarium includes families Brassicaceae (Bra), Capparaceae (Cap), Cucurbitaceae (Cuc), Dilleniaceae (Dil), Droseraceae (Dro), Ebenaceae (Ebe), Epacridaceae part 1 (Epa)

-H13 herbarium includes family Epacridaceae part 2 (Epa)

-H14 herbarium includes families Ericaceae (Eri), Flacourtiaceae (Fla), Frankeniaceae (Fra), Guttiferae (Gut), Malvaceae (Mal), Ochnaceae (Och), Primulaceae (Pri), Sterculiaceae (Ste), Tiliaceae (Til), Violaceae (Vio).

Identified and unidentified specimens are left in the family to which they were assigned. Species in each genus and genera in each family are sorted alphabetically. An index of genus names is given for all families.

- Occurrence of type materials : *Capparis quiniflora* (H12 : Cap 2) *Capparis sepiora* var. *nummularia* (H12 : Cap 5)
 Casaria peniaefolia var. *deglabrata* (H14 : Fla 2-4)
 Frankenia fruticulasa (H14 : Fra 1-2) *Frankenia pauciflora* (H14 : Fra 5)
 Ochna decaisnei (H14 : Och 1) *Thomasia foliosa* (H14 : Ste 12-13)
 Nettoa crozophorifolia (H14 : Til 6 & 8)

INDEX OF GENERA (Dilleniaceae)

Abelmoschus H14 : Mal 1-2
 Acrotriche H12 : Epa 1-5
 Andersonia H12 : Epa 6-9
 Astroloma H12 : Epa 10-14

Capparis H12 : Cap 1-6
 Calophyllum H14 : Gut 1-4
 Candollea H12 : Dil 1-2
 Casearia H14 : Fla 1-4
 Citrillus H12 : Cuc 3
 Corchorus H14 : Til 1-2
 Cosmelia H12 : Epa 15-16

Dyospiros H12 : Ebe 1-3
 Drosera H12 : Dro 1-7

Epacris H12 : Epa 17-36

Frankenia H14 : Fra 1-8

Garcinia H14 : Gut 5
 Grewia H14 : Til 3-5

Helicteres H14 : Ste 1-3
 Hibbertia H12 : Dil 3-20
 Hibiscus H14 : Mal 3-12

Lasiopetalum H14 : Ste 4-8
 Lepidium H12 : Bra 1-6
 Leucopogon H13 : Epa 37-80

Lissanthe H13 : Epa 84-87
 Luffa H12 : Cuc 4-6
 Lysinema H13 : Epa 88-91

Melothria H12 : Cuc 1-2
 Monotoca H13 : Epa 92-96

Nettoa H14 : Til 6-9

Ochna H14 : Och 1

Pisonia H14 : Fla 5-6
 Pleurandra H12 : Dil 21-28

Rulinga H14 : Ste 9-11

Samolus H14 : Pri 1-9
 Sphenotoma H13 : Epa 97-98
 Sprengelia H13 : Epa 99-101
 Styphelia H13 : Epa 102-116

Thomasia H14 : Ste 12-17
 Triumphetta H14 : Til 10-11

Viola H14 : Vio 1-5

Unidentified : Dil 26-29 ; Epa 14, 34-36, 79-80, 96, 116-118 ; Eri 1 ; Fra 8-9 ; Mal 13 ; Ste 18

Angiospermae Dicotyledonae Dillenidae I

Brassicaceae (Bra 1-Bra 3)



**Lepidium foliosum*
*d'Entrecasteaux Channel

Nota : (1) Revised by Huvson, 1977
[label 3] ; (2) Seed bag [label 4]

Barcode MNHN : P00337378



**Lepidium foliosum*
*Bass Strait

Nota : (1) Revised by Thellung, 1905
[label 3] ; (2) Revised by Huvson,
1977 [label 4]

Barcode MNHN : P00337379




**Lepidium foliosum*
*Port Jackson

Nota : Revised by Huvson, 1977
[label 3]

Barcode MNHN : P00337382

Angiospermae Dicotyledonae Dillenidae I

Brassicaceae (Bra 4-Bra 6)



**Lepidium foliosum*

*Bass Strait

Nota : (1) Revised by Thellung, 1905 ;
(2) Revised by Huvson, 1977

Barcode MNHN : P00337380



**Lepidium foliosum*

*South coast

Nota : (1) Revised by Thellung, 1905
[label3] ; Revised by Huvson, 1977
[label 4]

Barcode MNHN : P00337381



**Lepidium linifolium*

*Swan River

Barcode MNHN : P00337383

Angiospermae Dicotyledonae Dillenidae I

Capparaceae (Cap 1-Cap 3)



**Capparis horrida*
 *Timor
 *Collected by Leschenault

Nota : Revised by Jacobs, 1958
 [label 2]

Barcode MNHN : P00337386



TYPE
 **Capparis quiniflora*
 *North coast

Nota : Revised by Jacobs, 1958
 [label 3]

Barcode MNHN : P00337387



**Capparis sepiara*
 *King George Sound

Nota : Revised by Jacobs, 1958
 [label 3]

Barcode MNHN : P00337388

Angiospermae Dicotyledonae Dillenidae I

Capparaceae (Cap 4-Cap 6)



- **Capparis sepiara*
- *Timor
- *Collected by Leschenault

Nota : Revised by Jacobs, 1958
[label 2]

Barcode MNHN : P00337389



- TYPE
- **Capparis sepiara* var. *nummularia*
- *Barren Islands

Nota : (1) Revised by Jacobs, 1961 [label 3]
; (2) Seed bag [label 5]

Barcode MNHN : P00337390



- **Capparis sepiara* var. *nummularia*
- *West coast

Nota : (1) Revised by Jacobs, 1961 [label 3]
; (2) Seed bag [label 4]

Barcode MNHN : P00337391

Angiospermae Dicotyledonae Dillenidae I

Cucurbitaceae (Cuc 1-Cuc 3)



**Melothria maderaspatana*

*Timor

Nota : Seed bag [label 3]

Barcode MNHN : P00293932



**Melothria maderaspatana*

*Timor

Collected by Guichenot

Barcode MNHN : P00293936



**Citrullus vulgaris*

*Timor

Collected by Leschenault

Nota : (1) In Leschenault's hand
« N°372 » [label 2] ; (2) Seed bag
[label 3]

Barcode MNHN : P00293931

Angiospermae Dicotyledonae Dillenidae I

Cucurbitaceae (Cuc 4-Cuc 6)



**Luffa acutangula*

*Timor

Barcode MNHN : P00293933



**Luffa acutangula*

*Timor

Barcode MNHN : P00293934



**Luffa cylindrica*

*Timor

*Collected by Leschenault

Nota : In Leschenault's hand « N°510 »
[label 2]

Barcode MNHN : P00293935

Angiospermae Dicotyledonae Dilleniidae I

Dilleniaceae (Dil 1-Dil 3)



**Candollea cuneiformis*
*King George Sound


Barcode MNHN : P00337376



**Candollea cuneiformis*
*King George Sound

Nota : (1) In Leschenault's hand « genus Magnolia affinè propre dilleniium; port du roi george 3 ; N°125 » [label 1] ; (2) Seed bag [label 4]

Barcode MNHN : P00337377



**Hibbertia aspera*
*Port Jackson

Nota : Revised by Hoogland, 1977
[label 3]

Barcode MNHN : P00337349

Angiospermae Dicotyledonae Dilleniidae I Dilleniaceae (Dil 4-Dil 6)



**Hibbertia aspera*

*Port Jackson

Nota : Revised by Hoogland, 1977
[label 3]

Barcode MNHN : P00337350



**Hibbertia dentata*

*d'Entrecasteaux Channel

Barcode MNHN : P00337352



**Hibbertia dentata*

*Blue Mountains


Barcode MNHN : P00337354

Angiospermae Dicotyledonae Dillenidae I Dilleniaceae (Dil 7-Dil 9)



**Hibbertia diffusa*
*Port Jackson

Barcode MNHN : P00337355



**Hibbertia empetrifolia*
*Port Jackson

Nota : Revised by Hoogland, 1977
[label 3]

Barcode MNHN : P00337365



**Hibbertia empetrifolia*
*Port Jackson

Nota : Revised by Hoogland, 1977
[label 3]

Barcode MNHN : P00337366

Angiospermae Dicotyledonae Dillenidae I
Dilleniaceae (Dil 10-Dil 12)




**Hibbertia fasciculata*
*Port Jackson

Barcode MNHN : P00337367



**Hibbertia fasciculata*
*Port Jackson


Barcode MNHN : P00337370



**Hibbertia fasciculata*
*Port Jackson

Barcode MNHN : P00337368

Angiospermae Dicotyledonae Dilleniidae I
Dilleniaceae (Dil 13-Dil 15)



**Hibbertia fasciculata*
*Hawkesbury

Barcode MNHN : P00337369



**Hibbertia grossulariaefolia*
*West coast

Barcode MNHN : P00337371



**Hibbertia linearis*
*East coast

Barcode MNHN : P00337359

Angiospermae Dicotyledonae Dilleniidae I

Dilleniaceae (Dil 16-Dil 18)



**Hibbertia linearis*
*East coast

Barcode MNHN : P00337356



**Hibbertia linearis*
*Port Jackson

Barcode MNHN : P00337357




**Hibbertia longifolia*
*Port Jackson

Barcode MNHN : P00337360

Angiospermae Dicotyledonae Dillenidae I

Dilleniaceae (Dil 19-Dil 21)



**Hibbertia nitida*

*East coast

Barcode MNHN : P00337361



**Hibbertia scandens*

*Port Jackson

Nota : Revised by Hoogland, 1977
[label 2]

Barcode MNHN : P00337364



**Pleurandra hypericoides*

*Hawkesbury

Barcode MNHN : P00337373

Angiospermae Dicotyledonae Dillenidae I Dilleniaceae (Dil 22-Dil 24)



**Pleurandra hypericoides*
*Swan River

Nota : Seed bag [label 3]

Barcode MNHN : P00337374



**Pleurandra hypericoides*
*Geographe Bay & Swan River

Nota : In Leschenault's hand « N°28 »
[label 1]

Barcode MNHN : P00337375



**Pleurandra sericea*
*East coast

Barcode MNHN : P00337362

Angiospermae Dicotyledonae Dilleniidae I
 Dilleniaceae (Dil 25-Dil 27)



**Pleurandra sericea*
 *East coast

Barcode MNHN : P00337363



*Unidentified *Pleurandra*
 *d'Entrecasteaux Channel

Barcode MNHN : P003373848



*Unidentified *Pleurandra*
 *Port Jackson

Barcode MNHN : P00337351

Angiospermae Dicotyledonae Dillenidae I
Dilleniaceae (Dil 28-Dil 29)



*Unidentified *Pleurandra*
*West coast

Barcode MNHN : P00337372



*Unidentified Dilleniaceae
*East coast

Barcode MNHN : P00337358



**Drosera binata*
*East coast

Barcode MNHN : P00293793

Angiospermae Dicotyledonae Dillenidae I

Droseraceae (Dro 2-Dro 4)



**Drosera macrantha* ssp *planchonii*
*East coast


Nota : Revised by Marchant, 1985
[label 4]

Barcode MNHN : P00293794



**Drosera paleacea*
*King George Sound

Barcode MNHN : P00292083



**Drosera pallida*
*West coast

Nota : Revised by Marchant, 1985
[label 4]

Barcode MNHN : P00293789

Angiospermae Dicotyledonae Dillenidae I

Droseraceae (Dro 5-Dro 6)



**Drosera peltata*
*Port Jackson

Barcode MNHN : P00293791



**Drosera peltata*
*East coast

Nota : In Guichenot's hand, see opposite [label 1]

Barcode MNHN : P00293790

Drosera peltata

Guichenot's text

Original. plante arbacée cette plante croît dans les endroits humides. Récoltée au port Jackson

Français. Plante herbacée. Cette plante croît dans les endroits humides. Récoltée au port Jackson.

English. Herbaceous plant. This plant grows in wet places. Collected in Port Jackson.

Angiospermae Dicotyledonae Dillenidae I
 Droseraceae (Dro 7) Ebenaceae (Ebe 1-2)



**Drosera spathulata*
 *Port Jackson

Barcode MNHN : P00293792



**Diospyros maritima*
 *Timor
 *Collected by Guichenot

Barcode MNHN : P00256229



**Diospyros maritima*
 *Timor

Barcode MNHN : P00256230

Angiospermae Dicotyledonae Dillenidae I
 Ebenaceae (Ebe 3) Epacridaceae (Epa 1-2)




**Diospyros punctata*
 *Timor
 *Collected by Riedlé

Barcode MNHN : P00256231



**Acrotriche cordata*
 *Kangaroo Island

Barcode MNHN : P00256438



**Acrotriche patula*
 *St Francis Island

Nota : In Leschenault's hand « *Styphelia*
 ; décrite N°4 ; iles St français » [label 1]

Barcode MNHN : P00256439

Angiospermae Dicotyledonae Dillenidae I Epacridaceae (Epa 3-5)



**Acrotriche serratulata*
*St Francis Island

Barcode MNHN : P00256440



**Acrotriche serrulata*
*d'Entrecasteaux Channel

Barcode MNHN : P00256441



**Acrotriche serrulata*
*Bass Strait

Barcode MNHN : P00256442

Angiospermae Dicotyledonae Dillenidae I

Epacridaceae (Epa 6-7)



**Andersonia coerulea*

*King George Sound

Nota. In Guichenot's hand, see opposite [label 2]

Barcode MNHN : P00256405

Andersonia coerulea

Guichenot's text

Original. Soust arbrisaux cé leuuant de 18 et 20 pousse de tairre il croit a bondamant partout
Rée caultée aux paurre du roi gaurge

Français. Sous-arbrissau s'élevant de 18 à 20 pouces de terre. Il croît abondamment partout.
Récolté au port du roi George.

English. Subshrub reaching 18 to 20 inches in height. It grows abundantly everywhere.
Collected in King George Sound



**Andersonia coerulea*

*King George Sound

Nota : In Leschenault's hand « epacris ? violacea ; Port du roi george 3; N°75 » [label 1]

Barcode MNHN : P00256404

Angiospermae Dicotyledonae Dillenidae I

Epacridaceae (Epa 8-10)



**Andersonia gracilis*
*King George Sound

Nota : In Leschenault's hand « *hellia gracilis* ; port du roi george 3; N°14 » [label 1] ; Revised by Chapman, 1999 [label 3]

Barcode MNHN : P00256403



**Andersonia patens*
*West or south coast ?

Nota : Seed bag [label 2]

Barcode MNHN : P00256406



**Astroloma humifusum*
*New Holland

Barcode MNHN : P00262343

Angiospermae Dicotyledonae Dillenidae I

Epacridaceae (Epa 11-12)



**Astroloma humifusum*

*South coast

Nota : In Guichenot's hand, see opposite [label 1]

Barcode MNHN : P00262342

Astroloma humifusum

Guichenot's text

Original. Soust arbrisaux à fleur rouge ce soust arbrisaux croix sur laiest montagne terrient saique il cetrouve part oude la nouvelle olande

Rée couttée à lile mariast

Français. Sous-arbrisseau à fleurs rouges. Ce sous-arbrisseau croît sur les montagnes, terrain sec. Il se trouve partout en Nouvelle Hollande. Récolté à l'île Maria.

English. Subshrub with red flowers. This subshrub grows on mountains on a dry ground. It occurs everywhere in New Holland. Collected on Maria Island.



**Astroloma humifusum*

*Port Jackson

Barcode MNHN : P00262344

Angiospermae Dicotyledonae Dillenidae I
Epacridaceae (Epa 13-15)



**Astroloma humifusum*
*Depuch Island

Barcode MNHN : P00262345



*Unidentified *Astroloma*
*Swan River

Barcode MNHN : P00256440



**Cosmelia rubra*
*King George Sound

Barcode MNHN : P00263000

Angiospermae Dicotyledonae Dillenidae I

Epacridaceae (Epa 16-18)



**Cosmelia rubra*
*King George Sound

Nota : In Leschenault's hand
« epacris paludosa ; port du roi
george 3 ; N°124 » [label 2]

Barcode MNHN : P00262999



**Epacris campanulata*
*South coast

Nota : In Leschenault's hand
« epacris campanulata ; N°27 ;
détroit d'entrecasteaux » [label 1]

Barcode MNHN : P00262979



**Epacris impressa*
*Blue Mountains

Barcode MNHN : P00262978

Angiospermae Dicotyledonae Dillenidae I

Epacridaceae (Epa 19-20)



**Epacris impressa*
*King Island

Barcode MNHN : P00262978



**Epacris lanuginosa*
*Maria Island & d'Entrecasteaux Channel

Nota : In Guichenot's hand, see opposite [label 2]

Barcode MNHN : P00262982

Epacris lanuginosa

Guichenot's text

Original. Plante céelevant de 18 a 20 pousse de tairre elle croix dant ledédroix dandré castaux

Français. Plante s'élevant de 18 à 20 pouces de terre. Elle croît dans le détroit d'Entrecasteaux.

English. Plant reaching 18 to 20 inches in height. It grows in the d'Entrecasteaux Channel.

Angiospermae Dicotyledonae Dillenidae I

Epacridaceae (Epa 21-23)




**Epacris lanuginosa*
*Port Jackson

Barcode MNHN : P00262981



**Epacris longiflora*
*Port Jackson

Barcode MNHN : P00262983



**Epacris longiflora*
*Unknown locality (expedition of
Captain Baudin)

Barcode MNHN : P00262984

Angiospermae Dicotyledonae Dillenidae I
Epacridaceae (Epa 24-26)



**Epacris longiflora*
*New Holland

Barcode MNHN : P00262985



**Epacris microphylla*
*Port Jackson

Barcode MNHN : P00262986



**Epacris microphylla*
*East coast

Barcode MNHN : P00262987

Angiospermae Dicotyledonae Dillenidae I
Epacridaceae (Epa 27-29)



**Epacris microphylla*
*d'Entrecasteaux Channel

Barcode MNHN : P00262988



**Epacris microphylla*
*Port Jackson

Barcode MNHN : P00262989



**Epacris obtusifolia*
*Port Jackson

Barcode MNHN : P00262990

Angiospermae Dicotyledonae Dillenidae I Epacridaceae (Epa 30-32)



**Epacris obtusifolia*
*Port Jackson

Barcode MNHN : P00262991



**Epacris purpurescens*
*d'Entrecasteaux Channel

Barcode MNHN : P00262992



**Epacris purpurescens*
*Hawkesbury

Barcode MNHN : P00262993

Angiospermae Dicotyledonae Dillenidae I
Epacridaceae (Epa 33-35)



**Epacris ruscifolia*
*South coast

Barcode MNHN : P00262980



*Unidentified *Epacris*
*Barren Islands

Barcode MNHN : P00262975



*Unidentified *Epacris*
*Unknown locality (voyage of
Captain Baudin)

Barcode MNHN : P00262976

Angiospermae Dicotyledonae Dillenidae I
Epacridaceae (Epa 36)



*Unidentified *Epacris*

*New Holland

Barcode MNHN : P00262994