

ANGIOSPERMAE
DICOTYLEDONAE
HAMAMELIDAE

Casuarinaceae
to
Urticaceae

DICOTYLEDONAE HAMAMELIDAE

* The Dicot (Hamamelidae) herbarium of the Baudin expedition contains 74 specimens.

* Cited collectors are Guichenot (1 report), Leschenault (7 reports) and Riedlé (24 reports).

* Origin of each specimen is mentioned. These places are : Timor (52 reports), King George Sound (5 reports), d'Entrecasteaux Channel (4 reports), Port Jackson (3 reports), Geographe Bay (2 reports), Kangaroo Island (2 reports), New Holland (2 reports), west coast (2 reports), Barren Islands (1 report), Blue Mountains (1 report).

Each plant specimen has been photographed. Accompanying labels are numbered chronologically (label 1 being the oldest). Information provided for each specimen consists of : the plant name (i.e. most recent name according to labels), the geographical origin, the name of the collector (when possible), additional relevant information (under the heading 'Nota'), the specimens's reference number (barcode) assigned by the Paris Museum of Natural History (MNHN collection).

The collected specimens belong to 4 distinct families that were grouped into one digital herbarium (H15). Families are presented in alphabetical order. These are families Casuarinaceae (Cas), Moraceae (Mor), Ulmaceae (Ulm), Urticaceae (Urt).

Identified and unidentified specimens are left in the family to which they were assigned. Species in each genus and genera in each family are sorted alphabetically. An index of genus names is given for all families.

* Occurrence of type material : Nihil

INDEX OF GENERA (Hamamelidae)

Artrocarpus	Mor 1-2
Casuarina	Cas 1-21
Epicarpus	Mor 3-5
Fatoua	Mor 6-7
Ficus	Mor 8-46
Fleurya	Urt 1
Pilea	Urt 2
Sponia	Ulm 1-2
Urera	Urt 3

Angiospermae Dicotyledonae Hamamelidae Casuarinaceae (Cas 1-Cas 3)



**Casuarina equisetifolia*
*Timor
*Collected by Riedlé

Barcode MNHN : P00230056



**Casuarina equisetifolia*
*Timor
*Collected by Riedlé

Nota : Revised by Johnson, 1953
[label 2]

Barcode MNHN : P00230057




**Casuarina fraseriana*
*King George Sound

Nota : (1) Revised by Jonson, 1963
[label 3] ; (2) Seed bag [label 4]

Barcode MNHN : P00230052

Angiospermae Dicotyledonae Hamamelidae Casuarinaceae (Cas 4-Cas 5)



Casuarina glauca

Guichenot's text

Original. espaisse de cassvarina ce casvarina croix a bondamant partout rée couttée aux pour gassionne

Français. Espèce de Casuarina. Ce Casuarina croît abondamment partout.
Récolté au port Jackson.

English. Species of Casuarina. This Casuarina grows abundantly everywhere.
Collected in Port Jackson.



**Casuarina humilis*

**Geographe Bay*

Nota : Revised by Johnson, 1963
[label 2]

Barcode MNHN : P00230007

**Casuarina glauca*

**Port Jackson*

Nota : (1) In Guichenot's hand, see opposite [label 1] ; (2) Seed bag [label 5]

Barcode MNHN : P00230054

Angiospermae Dicotyledonae Hamamelidae Casuarinaceae (Cas 6-Cas 8)



**Casuarina humilis*
*Geographe Bay

Nota : Revised by Johnson, 1963
[label 2]

Barcode MNHN : P00230008



**Casuarina humilis*
*New Holland

Nota : Revised by Johnson, 1963
[label 2]

Barcode MNHN : P00230009



**Casuarina humilis*
*King George sound

Nota : Revised by Johnson, 1963
[label 2]

Barcode MNHN : P00230010

Angiospermae Dicotyledonae Hamamelidae

Casuarinaceae (Cas 9-Cas 10)



**Casuarina humilis*

*West coast

Nota : (1) In Guichenot's hand, see opposite [label 2]; (2) Revised by Johnson, 1963 [label 4]

Barcode MNHN : P00230011

Casuarina humilis

Guichenot's text

Original. espasisse de cavarina ce leuvant de 12 à 13 pousces de tairre il croix partout sur laist aux teur aux pour du roué gorge

Français. Espèce de Casuarina s'élevant de 12 à 13 pouces de terre. Il croît partout sur les hauteurs. Au port du Roi George.

English. Species of Casuarina reaching 12 to 13 inches in height. It grows everywhere on the hills. In King George Sound.



**Casuarina humilis*

*King George Sound

Nota : Revised by Johnson, 1963 [label 2]

Barcode MNHN : P00230012

Angiospermae Dicotyledonae Hamamelidae Casuarinaceae (Cas 11-Cas 13)



**Casuarina humilis*
*King George Sound

Nota : Revised by Johnson, 1963
[label 2]

Barcode MNHN : P00230055



**Casuarina junghohniana* ssp *timorensis*
*Barren Islands

Nota : (1) In Leschenault's hand
« casuarine laevis ; port du roi george 3 ;
N°154 » [label 2] ; (2) Revised by
Johnson, 1963 [label 4]

Barcode MNHN : P00230013



**Casuarina junghohniana* ssp *timorensis*
*Timor

Nota : Revised by Johnson, 1963 [label
4]

Barcode MNHN : P00230015

Angiospermae Dicotyledonae Hamamelidae
Casuarinaceae (Cas 14-Cas 15)



**Casuarina littoralis*
*d'Entrecasteaux Channel

Nota : (1) In Guichenot's hand, see opposite [label 2] ; (2) Revised by Johnson, 1963 [label 3]

Barcode MNHN : P00230004

Casuarina littoralis

Guichenot's text

Original. espaisse de casvarina
céleuvant de 5 et 6 piest de taierre il
croix traist à bondamant partoutte
il croix à lile mariaiest et aux detroix
dandrée castaux

Français. Espèce de Casuarina s'élevant de 5 à 6 pieds de terre. Il croît très abondamment partout. Il croît à l'île Maria et au détroit d'Entrecasteaux.

English. Species of Casuarina reaching 5 to 6 feet in height. It grows everywhere very abundantly. It grows on Maria Island and in the d'Entrecasteaux Channel.



**Casuarina littoralis*
*Port Jackson

Nota : Revised by Johnson, 1963

Barcode MNHN : P00230003

Angiospermae Dicotyledonae Hamamelidae Casuarinaceae (Cas 16-Cas 18)



**Casuarina littoralis*
*West (East?) coast

Nota : Revised by Johnson, 1963
[label 2]

Barcode MNHN : P00230005



**Casuarina littoralis*
*d'Entrecasteaux Channel

Nota : Revised by Johnson, 1963
[label 2]

Barcode MNHN : P00230016



**Casuarina monilifera*
*New Holland

Nota : Revised by Johnson, 1963
[label 2]

Barcode MNHN : P00230006

Angiospermae Dicotyledonae Hamamelidae Casuarinaceae (Cas 19-Cas 21)



**Casuarina stricta*
*Kangaroo Island

Nota : Revised by Johnson, 1963
[label 2]

Barcode MNHN : P00230058



**Casuarina stricta*
*d'Entrecasteaux Channel

Nota : Revised by Johnson, 1963
[label 2]

Barcode MNHN : P00230002



**Casuarina stricta* (on the left)
*Kangaroo Island
**Casuarina junghohniana* ssp *timorensis* (on the right)
*Timor

Nota : Revised by Johnson, 1963 [label 2 & 3]

Barcode MNHN : P00230014

Angiospermae Dicotyledonae Hamamelidae Casuarinaceae (Cas 22)



- **Casuarina stricta* (A & C)
- *King George Sound
- **Casuarina fraseriana*
- *Port Jackson (B)

Nota : (1) In Guichenot's hand, see opposite [label 1] ; (2) Revised by Johnson, 1963 [label 4 & 5]

Barcode MNHN : P00230053

Casuarina spp


Guichenot's text

Original. espaisse de casse narina cée leuvant de 7 à 8 piest de tairre il croix sur une tairre végétalle rée colter aux pourre duroi gourge

Français. Espèce de *Casuarina* s'élevant de 7 à 8 pieds de terre. Il croît sur une terre végétale. Récolté au port du Roi George.

English. Species of *Casuarina* reaching 7 to 8 feet in height. It grows on topsoil. Collected in King George Sound.

Moraceae (Mor 1)



- **Artocarpus heterophyllus*
- *Timor

Nota : Revised by Jarret, 1955 [label 3]

Barcode MNHN : P00230062

Angiospermae Dicotyledonae Hamamelidae
Moraceae (Mor 2-Mor 4)



**Artrocarpus incisa*
*Timor

Barcode MNHN : P00230063



**Epicarpus timorensis*
*Timor

Barcode MNHN : P00230102



**Epicarpus timorensis*
*Timor

Barcode MNHN : P00230103

Angiospermae Dicotyledonae Hamamelidae
Moraceae (Mor 5-Mor 7)



**Epicarpus timorensis*
*Timor

Barcode MNHN : P00230104



**Fatoua lanceolata*
*Timor

Barcode MNHN : P00230105



**Fatoua lanceolata*
*Timor
*Collected by Leschenault

Nota : Drawing [label 3]

Barcode MNHN : P0023016

Angiospermae Dicotyledonae Hamamelidae
Moraceae (Mor 8-Mor 10)



**Ficus ampelos*
*Timor
*Collected by Leschenault

Barcode MNHN : P00230094



**Ficus ampelos*
*Timor
*Collected by Leschenault

Nota : Drawing [label 3]

arcode MNHN : P00230095



**Ficus ampelos*
*Timor
*Collected by Riedlé

Nota : Seed bag [label 2]

Barcode MNHN : P00230096

Angiospermae Dicotyledonae Hamamelidae
Moraceae (Mor 11-Mor 13)




**Ficus ampelos*
*Timor
*Collected by Riedlé

Barcode MNHN : P00230097



**Ficus ampelos*
*Timor
*Collected by Riedlé

Barcode MNHN : P00230098



**Ficus benjamina*
*Timor

Nota : Seed bag [label 3]

Barcode MNHN : P00230099

Angiospermae Dicotyledonae Hamamelidae
Moraceae (Mor 14-Mor 16)



**Ficus benjamina*
*Timor

Barcode MNHN : P00230100



**Ficus benjamina*
*Timor
*Collected by Riedlé

Barcode MNHN : P00230101



**Ficus gibbosa*
*Timor


Barcode MNHN : P0023086

Angiospermae Dicotyledonae Hamamelidae
Moraceae (Mor 17-Mor 19)



**Ficus gibbosa*
*Timor
*Collected by Riedlé

Barcode MNHN : P00230087



**Ficus gibbosa*
*Timor

Barcode MNHN : P00230088



**Ficus gibbosa*
*Timor
*Collected by Riedlé

Barcode MNHN : P00230089

Angiospermae Dicotyledonae Hamamelidae
Moraceae (Mor 20-Mor 22)



**Ficus gibbosa*
*Timor
*Collected by Riedlé

Barcode MNHN : P00230089



**Ficus gibbosa*
*Timor

Barcode MNHN : P00230090



**Ficus gibbosa*
*Timor
*Collected by Riedlé

Nota : Drawings [labels 2 & 4]


Barcode MNHN : P00230091

Angiospermae Dicotyledonae Hamamelidae
Moraceae (Mor 23-Mor 25)




**Ficus gibbosa*
*Timor
*Collected by Riedlé

Barcode MNHN : P00230092



**Ficus gibbosa*
*Timor
*Collected by Riedlé

Barcode MNHN : P00230093



**Ficus macrophylla*
*Timor

Barcode MNHN : P00

Angiospermae Dicotyledonae Hamamelidae
Moraceae (Mor 26-Mor 28)



**Ficus macrophylla*
*Timor

Barcode MNHN : P00230082



**Ficus pubinervia*
*Timor

Barcode MNHN : P00230064



**Ficus pubinervia*
*Timor
*Collected by Leschenault

Barcode MNHN : P00230065

Angiospermae Dicotyledonae Hamamelidae
Moraceae (Mor 29-Mor 31)



**Ficus pubinervia*
*Timor

Nota : Drawings [label 2]

Barcode MNHN : P00230066



**Ficus radiata*
*Timor
*Collected by Riedlé

Barcode MNHN : P00230083



**Ficus radiata*
*Timor

Nota : (1) Drawings [label 2] ; (2)
Seed bag [label 3]


Barcode MNHN : P00230084

Angiospermae Dicotyledonae Hamamelidae
Moraceae (Mor 32-Mor 33)



- **Ficus radiata*
- *Timor
- *Collected by Leschenault

Barcode MNHN : P00230085



- **Ficus rubiginosa*
- *Blue Mountains
- *Collected by Guichenot

Nota : (1) In Guichenot's hand, see opposite [label 2] ; (2) Seed bag [label 4]

Barcode MNHN : P00230073

Ficus rubiginosa

Guichenot's text

Original. espaisse de figuait ce figest croist entre laist rauche cé laivre de 10 et 12 piest de tairre rée couttée aux poure gassionne

Français. Espèce de figuier. Ce figuier croît entre les roches [et] s'élève de 10 à 12 pieds de terre. Récolté au port Jackson

English. Species of fig tree. This fig tree grows between rocks [and] reaches 10 to 12 feet in height. Collected in Port Jackson.

Angiospermae Dicotyledonae Hamamelidae
Moraceae (Mor 34-Mor 36)



**Ficus rubiginosa*
*d'Entrecasteaux Channel

Barcode MNHN : P00230072



**Ficus rumphii*
*Timor
*Collected by Riedlé

Nota : (1) In Riedlé's hand « N°429 »
[label 2] ; (2) Seed bag [label 3]

Barcode MNHN : P00230074



**Ficus saxophila*
*Timor
*Collected by Riedlé

Nota : Seed bag [label 4]

Barcode MNHN : P00230068

Angiospermae Dicotyledonae Hamamelidae
Moraceae (Mor 37-Mor 39)



**Ficus saxophila*
*Timor
*Collected by Riedlé

Barcode MNHN : P00230069



**Ficus saxophila*
*Timor
*Collected by Leschenault

Barcode MNHN : P00230070



**Ficus saxophila*
*Timor

Nota : Seed bag [label 3]

Barcode MNHN : P00230071

Angiospermae Dicotyledonae Hamamelidae
Moraceae (Mor 40-Mor 42)



**Ficus subulata*
*Timor
*Collected by Leschenault

Nota : Seed bag [label 3]

Barcode MNHN : P00230075



**Ficus timorensis*
*Timor

Barcode MNHN : P00230076



**Ficus trichocarpa*
*Timor
*Collected by Riedlé

Barcode MNHN : P00230077

Angiospermae Dicotyledonae Hamamelidae
Moraceae (Mor 43-Mor 45)



**Ficus trichocarpa*
*Timor
*Collected by Riedlé


Barcode MNHN : P00230078



**Ficus trichocarpa*
*Timor
*Collected by Riedlé

Nota : Seed bag [label 3]

Barcode MNHN : P00230079



**Ficus trichocarpa*
*Timor
*Collected by Riedlé

Nota : In Riedlé's hand « N°425 »
[label 2]

Barcode MNHN : P00230080

Angiospermae Dicotyledonae Hamamelidae

Moraceae (Mor 46)



**Ficus trichocephala*

*Timor

*Collected by Guichenot

Barcode MNHN : P00230067

Ulmaceae (Ulm 1-Ulm 2)



**Sponia timorensis*

*Timor

*Collected by Riedlé

Barcode MNHN : P00230107



**Sponia timorensis*


*Timor

*Collected by Riedlé

Barcode MNHN : P00230108

Angiospermae Dicotyledonae Hamamelidae

Urticaceae (Urt 1-Urt 3)



**Fleurya aestuans*
 *Timor
 *Collected by Riedlé

Nota : Revised by Wee-Lek, 1964
 [label 3]

Barcode MNHN : P00230061



**Pilea lucens*
 *Timor
 *Collected by Riedlé

Barcode MNHN : P00230059



**Urera acuminata*
 *Timor

Nota : In Riedlé's hand « urtica maxima » [label 2]

Barcode MNHN : P00230060