


DICOTYLEDONAE

ROSIDAE VI

Leguminosae part 4
(*Rhynchosia* to *Tephrosia*)
to
Myrtaceae part 1
(*Agonis* to *Darwinia*)

Angiospermae Dicotyledonae Rosidae
Leguminosae (Leg 191-Leg 193)



**Rhynchosia nummularia*
*Timor


Nota : Revised by Van Thuan, 1977
[label 2]

Barcode MNHN : P00293918



**Rhynchosia* sp
*Timor

Barcode MNHN : P00293917



**Rhynchosia* sp
*Timor
*Collected by Leschenault

Barcode MNHN : P00298001

Angiospermae Dicotyledonae Rosidae
Leguminosae (Leg 194-Leg 196)



**Senna alata*
*Timor
*Collected by Guichenot

Barcode MNHN : P00293953



**Senna auriculata*
*Timor
*Collected by Riedlé

Barcode MNHN : P00293959



**Senna timoriensis*
*Timor

Nota : Seed bag [label 2]

Barcode MNHN : P00293961

Angiospermae Dicotyledonae Rosidae
Leguminosae (Leg 197-Leg 199)



**Senna timoriensis*
*Timor
*Collected by Leschenault

Barcode MNHN : P00293962



**Senna timoriensis*
*Timor
*Collected by Leschenault

Barcode MNHN : P00293963



**Sesbania australis*
*Depuch Island

Barcode MNHN : P00298022

Angiospermae Dicotyledonae Rosidae
Leguminosae (Leg 200-Leg 202)



**Sesbania grandiflora* (as *Agati*)
*Timor

Barcode MNHN : P00298022



**Sesbania grandiflora* (as *Agati*)
*Timor

Barcode MNHN : P00298004



**Sesbania seban* (as *S. aegyptiaca*)
*Timor
*Collected by Riedlé

Barcode MNHN : P00298020

Angiospermae Dicotyledonae Rosidae
Leguminosae (Leg 203-Leg 205)



**Stylosanthes fructicosa* (as *S. mucronata*)
*Timor
*Collected by Leschenault

Barcode MNHN : P00298005



**Tadehagi triquetrum* (as *Pteroloma*)
*Timor
*Collected by Guichenot

Barcode MNHN : P00293925



**Tadehagi triquetrum* (as *Heteroloma*)
*Timor
*Collected by Leschenault

Barcode MNHN : P00293926

Angiospermae Dicotyledonae Rosidae
Leguminosae (Leg 206-Leg 208)



**Tephrosia pumila* (as *T. timoriensis*)
*Timor
*Collected by Leschenault


Barcode MNHN : P00298017



**Tephrosia pumila* (as *T. timoriensis*)
*Timor
*Collected by Riedlé

Nota : In Riedlé's hands « N°334 »
[label 2]

Barcode MNHN : P00298018



**Tephrosia spinosa*
*Timor
*Collected by Guichenot

Barcode MNHN : P00298019

Angiospermae Dicotyledonae Rosidae

Loranthaceae (Lor 1-Lor 3)



TYPE

**Amyema melaleuca* (type de *A. leschenaulti*)

*Saint Francis Island

*Collected by Leschenault

Nota : In Leschenault hands « *Loranthus*, décrit et dessiné N°12, Nlle Hollande, proche des îles St François » [label 2] ; seed bag [label 3]

Barcode MNHN : P00235942




**Amemya miraculosum* ssp. *latifolium*

*Timor

Nota : Seed bag [label 2] ; revised by Bancan, 1991 [label 3]

Barcode MNHN : P00235941



**Amylothea triflora*

*Timor

Nota : Description in Latin [label 2] ; revised by Dansen, 1935 [label 3]

Barcode MNHN : P00235940

Angiospermae Dicotyledonae Rosidae
Loranthaceae (Lor 4-Lor 5)



**Amylothea triflora*
*Timor
*Collected by Leschenault

Nota : Revised by Dansen, 1935 [label 1]

Barcode MNHN : P00235939



**Amylothea triflora*
*Timor

Nota : Revised by Dansen, 1935
[label 2]

Barcode MNHN : P00235938

Lythraceae (Lyt 1)



**Ammannia baccifera*
*Timor

Barcode MNHN : P00291885

Angiospermae Dicotyledonae Rosidae
Lytraceae (Lyt 2-Lyt 4)



TYPE

**Ammannia microcarpa*

*Timor

Barcode MNHN : P00291886



TYPE

**Ammannia microcarpa*

*Timor

*Collected by Riedlé

Barcode MNHN : P00291887



TYPE

**Ammannia microcarpa*

*Timor

Barcode MNHN : P00291888

Angiospermae Dicotyledonae Rosidae
Lytraceae (Lyt 5-Lyt 7)



**Pemphis acidula*
*Timor
*Collected by Riedlé

Barcode MNHN : P00291882



**Pemphis acidula*
*Timor
*Collected by Riedlé

Barcode MNHN : P00291883



**Woodfortia fruticosa*
*Timor

Barcode MNHN : P00291884

Angiospermae Dicotyledonae Rosidae
Malpighiaceae (Mal 1-Mal 2)



**Ryssopteris timoriensis*
*Timor

Nota : Revised by Arènes, 1953 [label 2]

Barcode MNHN : P00337281




**Ryssopteris timoriensis*
*Timor

Nota : Revised by Arènes, 1953 [label 2]

Barcode MNHN : P00337282

Meliaceae (Mel 1)



TYPE
**Aglaia elaeagnoides* (as *Nemedra*)
*King George Sound

Nota : Seed bag [label 2] ; revised by Pannell, 1982 [label 3]

Barcode MNHN : P00337561

Angiospermae Dicotyledonae Rosidae
Meliaceae (Mel 2-Mel 4)



**Aphanamixis timoriensis*
*Timor


Barcode MNHN : P00337564



**Aphanamixis timoriensis*
*Timor

Nota : Seed bag [label 2]

Barcode MNHN : P00337565



**Aphanamixis timoriensis*
*Timor

Barcode MNHN : P00337566

Angiospermae Dicotyledonae Rosidae
Meliaceae (Mel 5-Mel 7)



**Aphanamixis timoriensis*

*Timor

Barcode MNHN : P00337567



**Aphanamixis timoriensis*

*Timor

Barcode MNHN : P00337568



**Epicharis speciosa*

*Timor

*Collected by Leschenault

Barcode MNHN : P00337569

Angiospermae Dicotyledonae Rosidae
Meliaceae (Mel 8-Mel 10)



**Epicharis speciosa*
*Timor

Barcode MNHN : P00337570



**Epicharis speciosa*
*Timor
*Collected by Guichenot

Barcode MNHN : P00337571



**Epicharis speciosa*
*Timor

Barcode MNHN : P00

Angiospermae Dicotyledonae Rosidae
Meliaceae (Mel 11-Mel 13)



**Epicharis speciosa*
*Timor

Nota : Seed bag [label 2]

Barcode MNHN : P00337573



**Munronia pinnata*
*Timor
*Collected by Riedlé

Nota : Revised by Mabberley, 1990
(type of *M. timoriensis*) [label 2]

Barcode MNHN : P00337574



**Munronia pinnata*
*Timor

Nota : Revised by Mabberley, 1990
(type of *M. timoriensis*) [label 3]

Barcode MNHN : P00337575


Angiospermae Dicotyledonae Rosidae
Meliaceae (Mel 14-Mel 16)



TYPE
**Munronia pinnata*
*Timor

Nota : Revised by Mabberley, 1990
(type of *M. timoriensis*) [label 2]

Barcode MNHN : P00337576



**Munronia pinnata*
*Timor
*Collected by Riedl

Nota : Seed bag [label 2] ; revised by
Mabberley, 1990 (type of *M.*
timoriensis) [label 3]

Barcode MNHN : P00007577



**Synoum glandulosum*
*Port Jackson

Barcode MNHN : P00337562

Angiospermae Dicotyledonae Rosidae

Meliaceae (Mel 17)



**Synoum glandulosum*

*Port Jackson

Barcode MNHN : P00337563

Myrtaceae (Myr 1-Myr 2)



**Agonis flexuosa* (as *Leptospermum*)

*King George Sound

*Collected by Leschenault

Nota : In Leschenault's hands
« *Leptosperm salicifolium*, port de roi
george 3, N°3 » [label 1]

Barcode MNHN : P00291974



**Agonis flexuosa*

*Port Jackson

Barcode MNHN : P00291976

Angiospermae Dicotyledonae Rosidae
Myrtaceae (Myr 3-Myr 5)



**Agonis flexuosa* (as *Leptospermum*)
*Port Jackson

Barcode MNHN : P00291977



**Agonis* sp
*Swan River

Barcode MNHN : P00291975



**Astartea fascicularis*
*West coast

Barcode MNHN : P00292017

Angiospermae Dicotyledonae Rosidae
Myrtaceae (Myr 6-Myr 8)



**Astartea fascicularis*
*East coast

Barcode MNHN : P00292018



**Baeckia camphorata*
*Port Jackson
*Collected by Leschenault

Nota : In Leschenault's hands
« *Leptospermum camphoratum* » [label
1]


Barcode MNHN : P00292024



**Baeckia linifolia*
*Port Jackson

Barcode MNHN : P00292021

Angiospermae Dicotyledonae Rosidae
Myrtaceae (Myr 9-Myr 11)



**Baeckia linifolia*
*Port Jackson

Barcode MNHN : P00292022



**Baeckia liniflora*
*East coast

Barcode MNHN : P00292023



**Baeckia prostrata*
*King George Sound
*Collected by Leschenault

Barcode MNHN : P00292028

Angiospermae Dicotyledonae Rosidae

Myrtaceae (Myr 12-Myr 13)



- **Baeckia* sp
- *King George Sound
- *Collected by Leschenault

Nota : In Leschenault's hands
« *Melaleuca? grandis*, port du roi
george 3, (Leschenault), N°118 »
[label 1]

Barcode MNHN : P00292029



- **Beaufortia purpurea* (as *Melaleuca*)
- *King George Sound
- *Collected by Guichenot

Nota : In Guichenot's hands, see opposite
[label 1] ; in Lechenault's hands « *Melaleuca
purpurea*, 76, détroit d'entrecasteaux » [label
2]

Barcode MNHN : P00291957

Beaufortia purpurea

Guichenot's text

Original. soust arbrisaux cée leuuant
de 2 et 3 piest de taierre cette
arbrisaux croix dant laiest endrouiest
umides
rée caultée aux paurre de roi gourgé

Français. Sous-arbrisseau s'élevant
de 2 et 3 pieds de terre. Cet
arbrisseau crûit dans les endroits
humides.

Récolté au port du Roi George

English. Sub-shrub reaching 2 to 3
feet height. This shrub grows in wet
places.

Collected in King George Sound.

Angiospermae Dicotyledonae Rosidae
Myrtaceae (Myr 14-Myr 16)



- **Callistemon lanceolata*
- *Kangaroo Island
- *Collected by Leschenault

Nota : In Leschenault's hands
« *Metrosideros* ?, [latin texte], îles
des kangourous » [label 1]

Barcode MNHN : P00291972



- **Callistemon lanceolatum*
- *d'Entrecasteaux Channel

Barcode MNHN : P00291973



- **Callistemon linearis*
- *d'Entrecasteaux Channel

Barcode MNHN : P00291969

Angiospermae Dicotyledonae Rosidae
Myrtaceae (Myr 17-Myr 19)



**Callistemon pinifolia*
*Port Jackson

Barcode MNHN : P00291964



**Callistemon speciosus*
*Kangaroo Island

Barcode MNHN : P00291965



**Callistemon speciosus*
*King George Sound
*Collected by Leschenault

Nota : In Leschenault's hands
« *Melaleuca ? paludosa*, port du roi
george 3, N°49 » [label 1]

Barcode MNHN : P00291967

Angiospermae Dicotyledonae Rosidae
Myrtaceae (Myr 20-Myr 22)



**Callistemon speciosus*
*West coast

Barcode MNHN : P00291968



**Callistemon viridifolius*
*Port Jackson


Barcode MNHN : P00291965



**Calythrix tetragona* (as *C. scabra*)
*Port Jackson

Barcode MNHN : P00292046

Angiospermae Dicotyledonae Rosidae
Myrtaceae (Myr 23-Myr 24)



**Calythrix tetragona*
*West coast

Nota : In Guichenot's hands, see
opposite [label 1]

Barcode MNHN : P00292048

Calythrix tetragona

Guichenot's text

Original. arbrisaux à fleur blanche
traipétite cette arbrisaux cée laivre de
4 et 5 piest de taierre cette arbrisaux
croix sur un terient sablenneux
rée caultée aux pourre de roi gourke

Français. Arbrisseau à fleurs
blanches très petites. Cet arbrisseau
s'élève de 4 et 5 pieds de terre. Cet
arbrisseau croît sur un terrain
sablonneux.

Récolté au port du Roi George.

English. Shrub with very small white
flowers. This shrub reaches 4 to 5
feet height. This shrub grows on a
sandy ground.
Collected in King George Sound.



**Calythrix* sp
*King Island

Barcode MNHN : P00292044

Angiospermae Dicotyledonae Rosidae
Myrtaceae (Myr 25-Myr 27)



**Calythrix* sp
*King Island

Barcode MNHN : P00292045



**Calythrix* sp
*West coast

Barcode MNHN : P00292047



**Darwinia citriodora*
*West coast

Barcode MNHN : P00292058

Angiospermae Dicotyledonae Rosidae
Myrtaceae (Myr 28-Myr 30)



**Darwinia diosmoides*
*King George Sound

Barcode MNHN : P00292059



**Darwinia diosmoides*
*King George Sound

Barcode MNHN : P00292060




**Darwinia fascicularis*
*South coast

Barcode MNHN : P00292061

Angiospermae Dicotyledonae Rosidae

Myrtaceae (Myr 31-Myr 32)



- **Darwinia fascicularis*
- *Port Jackson
- *Collected by Guichenot

Nota : In Guichenot's hands, see opposite [label 1]

Barcode MNHN : P00292062


Darwinia fascicularis

Guichenot's text

Original. arbrisaux à fleur rouge
cette arbrisaux croix sur laiest rauche
couvairtre de taierre il cée laive de 3
et 4 piest de taier
rée coulté aux pourre gassionne

Français. Arbrisseau à fleurs rouges.
Cet arbrisseau croît sur les roches
couvertes de terre. Il sélève de 3 et 4
pieds de terre.
Récolté au Port Jackson.

English. Shrub with red flowers. This
shrub grows on rocks covered with
soil. It reaches 3 to 4 feet height.
Collected in Port Jackson.



- **Darwinia fascicularis*
- *d'Entrecasteaux Channel

Barcode MNHN : P00292063