ANGIOSPERMAE MONOCOTYLEDONEAE III

Poaceae part 2 (*Oryza* to *Urochloa*)
to
Xyridaceae

Angiospermae Monocotyledoneae III
Poaceae (Poa 43-Poa 45)

**Oryza sativa*
*Timor
*Collected by Leschenault

Barcode MNHN : P00215455

**Oryza sativa*
*Timor
*Collected by Guichenot

Barcode MNHN : P00215461

**Phragmites communis*
*South coast

<u>Nota</u> : In Leschenault's hand « arundo, différent du phragmites » [label 1]

Barcode MNHN : P00215446

Angiospermae Monocotyledoneae III
Poaceae (Poa 46-Poa 48)

*Unidentified *Phragmites*
*d'Entrecasteaux Channel
*Collected by Guichenot

Barcode MNHN : P00215445

*Unidentified *Phragmites*
*Maria Island
*Collected by Guichenot

Barcode MNHN : P00215444



**Saccharum spontaneum*
*Kangaroo Island

Nota : Revised by Brasel, 1975 [label 3]

Barcode MNHN : P00215449

Angiospermae Monocotyledoneae III
Poaceae (Poa 49-Poa 51)

**Spinifex hirsutus*
*Kangaroo Island

Barcode MNHN : P00215464

**Spinifex hirsutus*
*King Island

Barcode MNHN : P00215465

**Spinifex longifolius*
*West coast
*Collected by Guichenot

Barcode MNHN : P00215456

Angiospermae Monocotyledoneae III
Poaceae (Poa 52-Poa 54)

Spinifex longifolius
*d'Entrecasteaux Channel

Barcode MNHN : P00215460

Spinifex sericeus
*Port Jackson
*Collected by Guichenot

Barcode MNHN : P00215463

Spinifex squarrosus
*Timor
*Collected by Leschenault

Barcode MNHN : P00215451

Angiospermae Monocotyledoneae III
Poaceae (Poa 55-Poa 57)

*Unidentified *Spinifex*
*Timor
*Collected by Riedlé

Barcode MNHN : P00215452

*Unidentified *Spinifex*
*Timor
*Collected by Riedlé

Barcode MNHN : P00215453

*Unidentified *Spinifex*
*Timor
*Collected by Guichenot

Barcode MNHN : P00215454

Angiospermae Monocotyledoneae III
Poaceae (Poa 58-Poa 59)

Uniola distichophylla

Guichenot's text

Original. espaisse de gramaine cette gramaine crois entre laiest rauche vouisine du baurre de la mair
rée couttée à lile daiest cangoro

Français. Espèce de graminée. Cette graminée croît entre les roches voisines du bord de la mer.
Récoltée à l'île des Kangourous.

English. Species of grass. This grass grows between rocks close to the sea edge.
Collected on Kangaroo Island.

**Sporobolus indicus* var. *flaccidus*
*Timor
*Collected by Leschenault

Nota : Revised by J.F.V., 1994 [label 2]

Barcode MNHN : Nihil

**Uniola distichophylla*
*King Island
*Collected by Guichenot

Nota : In Guichenot's hand, see opposite [label 2]

Barcode MNHN : Nihil

Angiospermae Monocotyledoneae III
Poaceae (Poa 60-Poa 62)

**Urochloa reptans*
*Timor

<u>Nota</u> : Revised by J.F.V., 1994 [label 1]

Barcode MNHN : P00212278

**Urochloa reptans*
*Timor
*Collected by Guichenot

<u>Nota</u> : Revised by J.F.V., 1994 [label 2]

Barcode MNHN : P00212280

**Urochloa reptans*
*Timor
*Collected by Leschenault

<u>Nota</u> : Revised by J.F.V., 1996 [label 1]

Barcode MNHN : P00212277

Angiospermae Monocotyledoneae III
Poaceae (Poa 63-Poa 65)

**Urochloa reptans*
*Timor

<u>Nota</u> : Revised by J.F.V., 1994 [label 2]

Barcode MNHN : P00212279

*Unidentified Poaceae
*West coast
*Collected by Guichenot

Barcode MNHN : P00215457

*Unidentified Poaceae
*West coast
*Collected by Guichenot

Barcode : MNHN P00215458

Angiospermae Monocotyledoneae III
Poaceae (Poa 66-Poa 68)

*Unidentified Poaceae
*West coast

Barcode MNHN : P00215459

*Unidentified Poaceae
*Barren Islands

Barcode MNHN : P00215462

*Unidentified Poaceae
*Port Jackson
*Collected by Guichenot

Barcode MNHN : P00212283

Angiospermae Monocotyledoneae III

Poaceae (Poa 69)

*Unidentified Poaceae
*Barren islands

<u>Nota</u> : In Leschenault's hand « N°99, graine » [label 1]

Barcode MNHN : P00215431

Posidoniaceae (Pos 1)

**Posidonia australis*
*South coast
*Collected by Leschenault

Barcode MNHN : P00298145

Restoniacea (Res 1)

**Baloskion tetraphyllum*
*King Island

<u>Nota</u> : Revised by Briggs, 1998 [label 2]

Barcode MNHN : P00298154

Angiospermae Monocotyledoneae III
Restoniaceae (Res 2-Res 4)

**Baloskion tetraphyllum*
*Port Jackson

Nota : Revised by Briggs, 1998 [label 3]

Barcode MNHN : P00298155

**Baloskion tetraphyllum*
*King Island

Nota : Revised by Briggs, 1998 [label 3]

Barcode MNHN : P00298156)

**Baloskion tetraphyllum*
*King Island

Nota : (1) Seed bag [label 2] ; (2) Revised by Briggs, 1998 [label 4]

Barcode MNHN : P00298157

Angiospermae Monocotyledoneae III
Restoniaceae (Res 5-Res 7)

**Eurychordata complanata*
*Port Jackson

<u>Nota</u> : Revised by Briggs, 1998 [label 3]

Barcode MNHN : P00298198

**Eurychordata complanata*
*Port Jackson

<u>Nota</u> : Revised by Briggs, 1998 [label 2]

Barcode MNHN : P00298197

**Leptocarpus tenax*
*Hawkesbury

<u>Nota</u> : Revised by Briggs, 1998 [label 3]

Barcode MNHN : P00298136

Angiospermae Monocotyledoneae III
Restoniaceae (Res 8-Res 10)

**Leptocarpus tenax*
*Port Jackson

<u>Nota</u> : (1) Revised by Briggs, 1998 [label 3] ; (2) Seed bag [label 1]

Barcode MNHN : P00298135

**Leptocarpus tenax*
*King George Sound

Barcode MNHN : P00298137



**Leptocarpus tenax*
*King George Sound

<u>Nota</u> : Revised by Briggs, 1998 [label 2; *Leptocarpus diffuens* ?]

Barcode MNHN : P00298134

Angiospermae Monocotyledoneae III
Smilacaceae (Smi 1-Smi 3)

**Smilax australis*
*Hawkesbury

Barcode MNHN : P00298296

**Smilax elliptica*
*Timor
*Collected by Guichenot

Barcode MNHN : P00298299

**Smilax elliptica*
*Timor
*Collected by Guichenot

Barcode MNHN : P00298301

Angiospermae Monocotyledoneae III
Smilacaceae (Smi 4-Smi 6)

**Smilax glyciphylla*
*Port Jackson

Barcode MNHN : P00298297

Smilax glyciphylla
Blue Mountains

<u>Nota</u> : In Leschenault's hand « thé sucre ; smilax » [label 1]

Barcode MNHN : P00298298

*Unidentified *Smilax*
*Timor
*Collected by Guichenot

<u>Nota</u> : In Leschenault's hand « si les tiges étaient ciliées ce serait presque mon S. elliptica » [label 1]

Barcode MNHN : P00298300

Angiospermae Monocotyledoneae III

Smilacaceae (Smi 7)

*Unidentified Smilacaceae
*Timor
*Collected by Guichenot

<u>Nota</u> **:** Seed bag [label 1]

Barcode MNHN : P00298302

Xanthorrhaeaceae (Xan 1-Xan 2)

[Could be two different species]
**Acanthocarps robustus* [on the left]
**Acanthocarpus* ? *preissii* [on the right]
*West coast

<u>Nota</u> : Revised by Macfarlane, 1990 [labels 2 & 3]

Barcode MNHN : P00298245

**Acanthocarpus preissii*
*East coast

<u>Nota</u> : Revised by Macfarlane, 1990 [label 2]

Barcode MNHN : P00298244

Angiospermae Monocotyledoneae III
Xanthorrhaeaceae (Xan 3-Xan 5)

**Calectasia cyanea*
*King George Sound

Barcode MNHN : P00298267

**Dasypogon bromeliifolius*
*King George Sound

Barcode MNHN : P00298243

**Lomandra filiformis*
*Port Jackson

Barcode MNHN : P00298249

Angiospermae Monocotyledoneae III
Xanthorrhaeaceae (Xan 7-Xan 8)

**Lomandra filiformis*
*Port Jackson

Barcode MNHN : P00298248

**Lomandra filiformis*
*Port Jackson
*Collected by Guichenot

Nota : (1) In Guichenot's hand, see opposite [label 2] ; (2) Revised by Macfarlane, 1984 [label 4]

Barcode MNHN : P00298250

Lomandra filiformis

Guichenot's text

Original. espaisse de gramainne à fleur gaune cette gramainne croix sur une thairre in gratre elle cée laivre de 8 et 9 pousse de tairre
rée couttée aux pourre gasionne

Français. Espèce de graminée à fleur jaune. Cette graminée croît sur une terre ingrate. Elle s'élève de 8 à 9 pouces de terre.
Récoltée au port Jackson.

English. Species of grass with yellow flowers. This grass grows on barren ground. It reaches 8 to 9 inches in height.
Collected in Port Jackson.

Angiospermae Monocotyledoneae III
Xanthorrhaeaceae (Xan 9-Xan 11)

**Lomandra filiformis*
*Port Jackson

<u>Nota</u> : Revised by Macfarlane, 1984 [label 2]

Barcode MNHN : P00298247

**Lomandra glauca*
*Port Jackson

<u>Nota</u> : Revised by Macfarlane, 1984 [label 2]

Barcode MNHN : P00298268

**Lomandra longifolia*
*Blue Mountains

<u>Nota</u> : Revised by Macfarlane, 1984 [label 3]

Barcode MNHN : P00298269

Angiospermae Monocotyledoneae III
Xanthorrhaeaceae (Xan 12-Xan 13)

Lomandra longifolia
Port Jackson

Nota : (1) In Guichenot's hand, see opposite [label 1] ; (2) Revised by Macfarlane, 1984 [label 3]

Barcode MNHN : P00298272

Lomandra longifolia

Guichenot's text

Original. gramainne four goulest cée gramaine croix le lont daiest rivages à l'humidité
rée couttée aux pourre gassionne

Français. Herbe fort jolie. Cette herbe croît le long des rivages à l'humidité.
Récoltée au port Jackson.

English. Very attractive grass. This grass grows in moisture along sea edge.
Collected in Port Jackson.

Lomandra longifolia
Blue Mountains

Nota : Revised by Macfarlane, 1984 [label 2]

Barcode MNHN : P00298274

Angiospermae Monocotyledoneae III
Xanthorrhaeaceae (Xan 14-Xan 16)

**Lomandra longifolia*
*King island

<u>Nota</u> : Revised by Macfarlane, 1984

Barcode MNHN : P00298273

**Lomandra longifolia*
*d'Entrecasteaux Channel

<u>Nota</u> : (1) In Leschenault's hand « Rapatea ? ; N°78 ; détroit d'entrecasteaux » [label 1] ; (2) Revised by Macfarlane, 1984 [label 3]

Barcode MNHN : P00298271

**Lomandra longifolia*
*East coast

Barcode MNHN : P00298270

Angiospermae Monocotyledoneae III
Xanthorrhaeaceae (Xan 17-Xan 19)

**Lomandra multiflora*
*Port Jackson

<u>Nota</u> : Revised by Macfarlane, 1984 [label 2]

Barcode MNHN : P00298275

**Lomandra obliqua*
*Port Jackson

<u>Nota</u> : Revised by Macfarlane, 1984 [label 2]

Barcode MNHN : P00298233

**Lomandra obliqua*
*Port Jackson
*Collected by Guichenot

Barcode MNHN : P00298232

Angiospermae Monocotyledoneae III
Xanthorrhaeaceae (Xan 20-Xan 21)

Lomandra obliqua

Guichenot's text

<u>Original</u>. espaisse de gramainne fourre geulie à fleur gaune ce gramaine croix sur daist terient sableuneux.
rée couttée aux pour gassione

<u>Français</u>. Espèce d'herbe fort jolie à fleur jaune. Cette herbe croît sur des terrains sablonneux.
Récoltée au port Jackson.

<u>English</u>. Species of very attractive grass with yellow flowers. This grass grows on sandy soil.
Collected in Port Jackson.

**Lomandra obliqua*
*Port Jackson
*Collected by Guichenot

<u>Nota</u> : (1) in Guichenot's hand, see opposite [label 2] ; (2) Revised by Macfarlane, 1984 [label 4]

Barcode MNHN : P00298231

**Lomandra pauciflora*
*King George Sound

<u>Nota</u> : (1) Seed bag [label 2] ; (2) Revised by Macfarlane, 1984 [label 4]

Barcode MNHN : P00298235

Angiospermae Monocotyledoneae III
Xanthorrhaeaceae (Xan 22-Xan 23)

**Lomandra pauciflora*
*King George Sound

Nota : Revised by Macfarlane, 1984 [label 2]

Barcode MNHN : P00298236

**Lomandra pauciflora*
*King George Sound
*Collected by Guichenot

Nota : (1) In Guichenot's hand, see opposite [label 2] ; (2) Revised by Macfarlane, 1984 [label 4]

Barcode MNHN : P00298237

Lomandra pauciflora

Guichenot's text

Original. gramaine fourre geuluit ce gramaine croix sur laiest sabre le plust à bondament
rée couttée aux pourre du roi gourge

Français. Herbe fort jolie. Cette herbe croît abondamment sur le sable.
Récolté au port du Roi George.

English. Very attractive grass. This grass grows abundantly on sand.
Collected in King George Sound.

Angiospermae Monocotyledoneae III
Xanthorrhaeaceae (Xan 24-Xan 26)

Lomandra pauciflora
*King George Sound
*Collected by Guichenot

Barcode MNHN : P00298238

Lomandra pauciflora
*King George Sound

Nota : Revised by Macfarlane, 1984 [label 3]

Barcode MNHN : P00298234

Lomandra preissii
*King George Sound

Nota : (1) In Leschenault's hand « inter juncos , port du roi george 3 , N° 122 » [label 1] ; (2) Revised by Macfarlane, 1984 [label 4]

Barcode MNHN : P00298239

Angiospermae Monocotyledoneae III
Xanthorrhaeaceae (Xan 27-Xan 29)

Xanthorrhoea hastile
*Port Jackson

Barcode MNHN : P00298242

Xanthorrhoea minor
*Port Jackson

Barcode MNHN : P00298241

*Unidentified X*anthorrhoea*
*Port Jackson

Barcode MNHN : P00298240

Angiospermae Monocotyledoneae III
Xanthorrhaeaceae (Xan 30-Xan 32)

Xerotes aemula
*Port Jackson
*Collected by Guichenot

Barcode MNHN : P00298 277

Xerotes aemula
*Port Jackson
*Collected by Guichenot

Barcode MNHN : P00298278



Xerotes aemula
*Port Jackson

Barcode MNHN : P00298276

Angiospermae Monocotyledoneae III
Xyridacea (Xyr 1-Xyr 2)

Xyris lanata

Guichenot's text

Original. gont four geuli sélevant de 30 à 36 pousse de taire ce gont croix dant laux
aux pour du roui géorges

Français. Jonc fort joli s'élèvant de 30 à 36 pouces de terre. Ce jonc croît dans l'eau.
Au port du Roi George.

English. Very attractive rush reaching 30 to 36 inches in height. This rush grows in water.
Collected in King George Sound.

**Xyris lanata*
*King George Sound

Nota : In Guichenot's hand, see opposite [label 2]

Barcode MNHN : P00298252

**Xyris operculata*
*Port Jackson

Barcode MNHN : P00298251

Angiospermae Monocotyledoneae III
Xyridacea (Xyr 3-Xyr 4)

**Xyris operculata*
*d'Entrecasteaux Channel

Nota : In Leschenault's hand « xiris capitata , détroit d'entrecasteaux, N°77 » [label 2]

Barcode MNHN : P00298254

**Xyris operculata*
*Port Jackson

Nota : In Guichenot's hand, see opposite [label 1]

Barcode MNHN : P00298255

Xyris operculata

Guichenot's text

Original. espaisse de gont à fleur gaune cée gont croix dant laiest endrouiet extraimant ûmide
rée couttée aux pourre gassionne

Français. Espèce de jonc à fleurs jaunes. Ce jonc croît dans les endroits extrêmement humide.
Récolté au port Jackson.

English. Species of rush with yellow flowers. This rush grows in the wettest places.
Collected in Port Jackson.

Angiospermae Monocotyledoneae III
Xyridacea (Xyr 5)

*Unidentified *Xyris*
*West coast

Barcode MNHN : P00298253